

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	253	(@ad<"20040130" @rlad<"20040130") and (370/351-357,399,395.2,395.3,395.54,409,419- 420,469.ccls. 455/436.ccls. 709/220-223,227- 229,245,249,200.ccls. 358/1.15,400.ccls.) and ((\$3select\$5 preset\$4 fixed unique \$3determined \$3assign\$5 \$3allocat\$5 search\$5 query\$5 look\$5 find\$5 acquir\$5 \$3generat\$5 provision\$5 dedicated exclusive\$3 reserved related corresponding list\$5 directory table database available pool range group subset plurality multiple existing resolv\$5 conflict\$5 related associated correspond\$5 match\$5 unused next increment\$3 allot\$5 logical host) near3 (address id identifier integer number integer GUID handle\$5 object\$5 dedicated exclusive\$3) same ((callee caller initiating initiator origin\$5 source inbound in-bound incoming in-coming outbound out- bound outgoing out-going destination target) near4 (based according depend\$3 whether mode solely dedicated exclusive\$3 reserved only))) and (auto- ip autoip ((address) near3 (dedicated exclusive\$3 reserved)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/07/13 09:22

L11	25	l10 and (((tunnel\$5) near3 (address id GUID identifier mobile wireless session connection circuit \$5 path link VCI number information integer handle \$5 object\$5)) OR ((tunnel\$5) near9 (server gateway master manag\$5 setup build\$5 construct\$5 initiat\$5 forming formation creat\$5 establish\$5 prepar\$5 groom\$5 discover\$5 learn\$5 house\$5 start \$5 reuse maintenance maintain\$3 persist\$5 supervis \$5)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/07/13 09:25
-----	----	--	---	----	-----	---------------------

EAST Search History (Interference)

< This search history is empty >

7/ 13/ 2011 9:35:30 AM
C:\ Documents and Settings\ gbengzon\ My Documents\ EAST\ Workspaces\ GCB 10597496 Reusable tunnel address per device endpoint3.wsp